EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4119	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display with (setting$1 or configurat$4) and (cost$3 or fee or fees or charg$3 or pric$3) same (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:32
L2	2141	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display with (setting$1 or configurat$4) and (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:32
L3	1270	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) and (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:32
L4	75	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) and (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:33
L5	91677	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) samer (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:34

L6	0	(@ad< "20040423" or @pd< "20040423" or @rlad< "20040423" or @prad< "20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) same (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:34
L7	0	(@ad< "20040423" or @pd< "20040423" or @rlad< "20040423" or @prad< "20040423") and display near2 (setting$1 or configurat$4) same (computer with system$1) same (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:34
L8	6	(@ad< "20040423" or @pd< "20040423" or @rlad< "20040423" or @prad< "20040423") and display near2 (setting$1 or configurat$4) same (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:34
L9	5	(@ad< "20040423" or @pd< "20040423" or @rlad< "20040423" or @prad< "20040423") and display near2 (setting$1 or configurat$4) same (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis) and configur$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:44
L10	3	(@ad< "20040423" or @pd< "20040423" or @rlad< "20040423" or @prad< "20040423") and display near2 (setting$1 or configurat$4) same (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis) and configur$6 and source$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 13:04

L11	2	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting$1 or configurat$4) same (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis) and configur$6 and source$1 and (item$1 or "110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 13:06
L12	9	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting$1 or configurat$4) same (cost$3 or fee or fees or charg$3 or pric$3) with (measur$6 or metric$1 or model$1 or analysis) and configur$6 and source$1 and (item$1 or "110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 14:02
L13	36	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting$1 or configurat$4) same (cost$3 or fee or fees or charg$3 or pric$3) same (measur$6 or metric$1 or model$1 or analysis) and configur$6 and source$1 and (item$1 or "110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 14:09
L14	8	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting$1 or configurat$4) same (cost$3 or fee or fees or charg$3 or pric$3) same (measur$6 or metric$1 or model$1 or analysis) and configur$6 and source$1 and (item$1 or "110") and display near5 cost$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 14:18
L15	1	"20040267600" and display near2 (setting$1 or configurat$4) same (cost$3 or fee or fees or charg$3 or pric$3) same (measur$6 or metric$1 or model$1 or analysis) and configur$6 and source$1 and (item$1 or "110") and display near5 cost$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:21

L16	1	"20040267600" and (many or several or multiple or plurality) with configurat$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:22
L17	1	"20040267600" and (many or several or multiple or plurality) with configurat$5 and (evaluat$5 or analyz$6 or analysis or select$4 or choss$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:25
L18	1	"20040267600" and (many or several or multiple or plurality) with configurat$5 and (evaluat$5 or analyz$6 or analysis or select$4 or choos$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:33
L19	1	"20040267600" and (many or several or multiple or plurality) with configurat$5 and (evaluat$5 or analyz$6 or analysis or select$4 or choos$3) and (life$5 or power or usage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:37
L20	1	"20040267600" and (many or several or multiple or plurality) with configurat$5 and (evaluat$5 or analyz$6 or analysis or select$4 or choos$3) and (life$5 or power or usage) and consum $6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:39
L21	0	"20040267600" and (many or several or multiple or plurality) with configurat$5 and (evaluat$5 or analyz$6 or analysis or select$4 or choos$3) and (life$5 or power or usage) and consum $6 same displ$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:40
L22	1	"20040267600" and (many or several or multiple or plurality) with configurat$5 and (evaluat$5 or analyz$6 or analysis or select$4 or choos$3) and (life$5 or power or usage) and consum $6 same display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:40

L23	1	"20040267600" and (many or several or multiple or plurality) with configurat$5 and (evaluat$5 or analyz$6 or analysis or select$4 or choos$3) and (life$5 or power or usage) and consum$6 same display$3 and (metric$1 or model$3 or parameter$1 or measur$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:58
L24	1	"20040267600" and patterns same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 16:01
L25	1	"20040267600" and cost$ same predetermin$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 16:06
L26	1	"20040267600" and cost$ same predetermin$3 and (weight$3 or rank$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:18
L27	1	"20040267600" and cost$ same predetermin$3 and (weight$3 or rank$3) and setting$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:23
L28	2	"20040267600" and (generat$3 or displaying)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:27
L29	1	"20040267600" and (generat$3 or displays)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:27
L30	2	"20040267600" and display$3 same result$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:30

L31	1	"20040267600" and data adj store	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:35
L32	1	"20040267600" and data adj store and window$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:36
L33	0	"20040267600" and data adj store and window$1 same cost$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:42
L34	0	"20040267600" and data adj store same cost$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:42
L35	1	"20040267600" and data adj store and cost$3 same (window$1 or icon$1 or screen$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:47
L36	1	"20040267600" and (graph$6 or visual$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:57
L37	1	"20040267600" and display $3 same configur$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:05
L38	1	"20040267600" and (operat $5 or usage) same cost$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:15
L39	2	"20040267600" and interface $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:55

L40	0	"20040267600" and display same operable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:59
L41	1	"20040267600" and display same graphic$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:59
L42	1	"20040267600" and processor $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:01
L43	0	"20040267600" and (lifetime)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:04
L44	0	"20040267600" and (life)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:04
L45	0	"20040267600" and (life$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:04
L46	0	(@ad< "20040423" or @pd< "20040423" or @rlad< "20040423" or @prad< "20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) and (cost$3 or fee or fees or charg$3 or pric$3) same life $6 near3 (metric$1 or model $1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:07

L47	6	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) and (cost$3 or fee or fees or charg$3 or pric$3) same (life $6 or lifetime or lifecycle$1) with (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:07
L48	9	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) and (life$6 or lifetime or lifecycle$1) with (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:11
L49	3	L48 not L47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:11
L50	1	"20050240538" and lifetime	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:15
L51	1	"20040267600" and (usage or pixel$1 or historical$2 or past or predict$4) same display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:17
L52	4	"2004107095"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:21
L53	0	"2004107095" and display$3 and metric41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:24

L54	0	"2004107095" and display$3 same (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:25
L55	0	"2004107095" and display$3 and (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:25
L56	2	"20040236587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:27
L57	1	"20040236587" and display$3 same (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:28
L58	1	"20040236587" and display$3 same (lifetime or lifecycle or life$6) and (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:30
L59	0	"2004107095" and (usage or pixel$1 or historical$2 or past or predict$4) same display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:35
L60	0	"2004107095" and life same display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:35
L61	0	"2004107095" and "504"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:36
L62	0	"2004107095" and analysis same portion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:37

L63	175	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) and (life$6 or lifetime or lifecycle$1) with (metric$1 or model$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:43
L64	22	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) and (life$6 or lifetime or lifecycle$1) with (metric$1 or model$1 or analysis) with display$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:43
L65	0	"20040267600" and display same usage same (pixel$1 or historical$2 or past or predict $4) same display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:49
L66	2	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) and (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis) and display same usage same (pixel$1 or historical$2 or past or predict $4) same display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:50
L67	4	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) and (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis) and display same lifetime same (pixel$1 or historical$2 or past or predict $4) same display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:51

L68	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) and (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis) and display same lifetime same usage same (pixel$1 or historical$2 or past or predict$4) same display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:51
L69	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) and (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis) and display same lifetime with usage with computer with display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:52
L70	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) and (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis) and lifetime with usage with computer with display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:52
L71	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) same (computer with system$1) and (cost$3 or fee or fees or charg$3 or pric$3) with (metric$1 or model$1 or analysis) and lifetime with usage with display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:52

L72	2	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) and (metric$1 or model$1 or analysis) and lifetime with usage with display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:52
L73	2	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting$1 or configurat$4) and (metric$1 or model$1 or analysis) and lifetime with usage with display$3 and (cost$3 or fee or fees or charg$3 or pric$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:54
L74	0	"20050240538" and oled41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:04
L75	0	"20050240538" and oled41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:04
L76	1	"20050240538" and oled$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:04
L77	0	consolidating near2 mailpieces	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:14
L78	0	consolidating with mailpieces	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:15
L79	0	consolidation with mailpieces	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:15

L80	1	consolidated with mailpieces	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:15
L81	0	"7333080" and lif$6 with model$3 and oled$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:24
L82	0	"7333080" and life$6 with model$3 and oled$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:24
L83	0	"7333080" and life$6 same model$3 and oled$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:24
L84	0	"7333080" and life$6 same metric$1 and oled$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:25
L85	0	"7333080" and life$6 same analysis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:25
L86	0	"7333080" and (life or lifetime or lifecycl$3) same analysis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:26
L87	2	"7333080" and (life or lifetime or lifecycl$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:26

L88	38	("20020015110" | "20020024618" | "20020135312" | "20020186214" | "20020191130" | "20020196208" | "20030011613" | "20030103058" | "20040051724" | "20040113875" | "20040178743" | "20040178973" | "20040178974" | "20040195963" | "20040222999" | "20060044226" | "3813686" | "4800375" | "5233385" | "5526016" | "5563621" | "5638084" | "5929843" | "6075514" | "6097367" | "6133692" | "6262710" | "6320325" | "6366025" | "6366077" | "6388644" | "6411306" | "6453067" | "6483245" | "6498952" | "6570584" | "6693611" | "6950115").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/05 20:38
S1	2516	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display with configurat$4 and (cost$3 or fee or fees or charg $3 or pric$3) same (metric$1 or model$3 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:27
S2	21	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near3 configurat$4 same (cost$3 or fee or fees or charg$3 or pric$3) same (metric$1 or model$3 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:27
S3	2	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) same (metric$1 or model$3 or analysis) with display near3 configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:29

S4	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) same (metric$1 or model$3 or analysis) with display near3 (variety or many or plurality) with configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:31
S5	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) same (metric$1 or model$3 or analysis) with display43 with (variety or many or plurality) with configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:31
S6	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) same (metric$1 or model$3 or analysis) and display43 with (variety or many or plurality) with configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:32
S7	305	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) same (metric$1 or model$3 or analysis) and display$3 with (variety or many or plurality) with configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:32
S8	169	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) same (metric$1 or model$3 or analysis) and display$3 with (variety or many or plurality) with configurat$4 and (power or usage or cost or lifetime) same (metric$1 or model$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:33

S9	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) same (metric$1 or model$3 or analysis) and display$3 with (variety or many or plurality) with configurat$4 and (power or usage or cost or lifetime) same (metric$1 or model$3) and "705"/$$.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:34
S10	55	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and usage with (cost$3 or fee or fees or charg$3 or pric$3) and display$3 with (variety or many or plurality) with configurat$4 and (power or usage or cost or lifetime) and (metric$1 or model$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:34
S11	48	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and usage with (cost$3 or fee or fees or charg$3 or pric$3) and display$3 with (variety or many or plurality) with configurat$4 and (power or usage or cost or lifetime) and (metric$1 or model$3) and (visual$1 or graphic$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:37
S12	2	"20030156074"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:42
S13	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/$$ or "705"/$$) and usage same (cost$3 or fee or fees or charg$3 or pric$3) same display$3 with (variety or many or plurality) with configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:46

S14	1	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/$$ or "705"/$$) and usage same (cost$3 or fee or fees or charg$3 or pric$3) same display$3 with (variety or many or plurality) same configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:47
S15	195	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/$$ or "705"/$$) and usage same (cost$3 or fee or fees or charg$3 or pric$3) and display$1 same (variety or many or plurality) same configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:48
S16	14	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/$$ or "705"/$$) and usage same (cost$3 or fee or fees or charg$3 or pric$3) same display$1 with configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:49
S17	1457	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) with display$1 with configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:00
S18	5	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and usage with (cost$3 or fee or fees or charg$3 or pric$3) with display$1 with configurat $4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:01
S19	0	("20030156074" or "6801811") and (display$1 or screen$1) same usage same (fee or fees or cost$3 or charg $3 or pric$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:07
S20	0	("20030156074" or "6801811") and (display$1 or screen$1) same configuration $1 and usage same (fee or fees or cost$3 or charg$3 or pric$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:08

S21	77	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/$$ or "705"/$$) and (cost$3 or fee or fees or charg$3 or pric$3) near5 usage and display$1 same (variety or many or plurality) same configurat$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:10
S22	21	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/$$ or "705"/$$) and (cost$3 or fee or fees or charg$3 or pric$3) near5 usage and display$1 same (variety or many or plurality) same configurat$4 and (power or cost or usage) near5 (metric$1 or model$3 or index$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:11
S23	0	"Ranganathan.in", and (energy or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:14
S24	0	"Ranganathan.in" and (energy or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:14
S25	339	Ranganathan.in. and (energy or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:15
S26	2	Ranganathan.in. and (energy or display) and configuration same display and usage same (fee or fees or cost$3 or pric$3 or cost$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:16
S27	12818	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power same aware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:17

S28	108	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:18
S29	16	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware and display with screen$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:18
S30	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware and("345"/$$ or "705"/$$) and (cost$3 or fee or fees or charg$3 or pric $3) near5 usage and display $1 same (variety or many or plurality) same configurat$4 and (power or cost or usage) near5 (metric$1 or model$3 or index$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:19
S31	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware and("345"/$$ or "705"/$$) and (cost$3 or fee or fees or charg$3 or pric $3) near5 usage and display $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:20
S32	1	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware and("345"/$$ or "705"/$$) and (cost$3 or fee or fees or charg$3 or pric $3) same usage and display $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:20
S33	9	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost$3 or fee or fees or charg$3 or pric$3) same usage and display$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:22

S34	6	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost$3 or fee or fees or charg$3 or pric$3) with usage and display$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:23
S35	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost$3 or fee or fees or charg$3 or pric$3) with usage and display$1 same screens same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:23
S36	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost$3 or fee or fees or charg$3 or pric$3) with usage and display$1 same screen$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:23
S37	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost$3 or fee or fees or charg$3 or pric$3) with usage and display$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:24
S38	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost$3 or fee or fees or charg$3 or pric$3) same display$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51
S39	7279	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg$3 or pric$3) same display$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51

S40	393	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) with display$1 near3 configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51
S41	432	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) with display$1 near3 configuration$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51
S42	30	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) with display$1 near3 configuration$1 and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:52
S43	6711	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) with (using or usage or operat$3) with display$1 and configuration $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:02
S44	2481	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) with (using or usage or operat$3) near3 display$1 and configuration $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:03
S45	1014	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg $3 or pric$3) near4 (using or usage or operat$3) near3 display$1 and configuration $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:03

S46	191	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg$3 or pric$3) near4 (using or usage or operat$3) near3 display$1 and display near2 configuration$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:04
S47	19	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg$3 or pric$3) near4 (using or usage or operat$3) near3 display$1 and display near2 configuration$1 and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:05
S48	2804	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat$3) near4 (cost$3 or fee or fees or charg$3 or pric$3) same display$4 near3 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:11
S49	34433	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat$3) near4 (cost$3 or fee or fees or charg$3 or pric$3) and display$4 near3 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:12
S50	28434	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat$3) near4 (cost$3 or fee or fees or charg$3 or pric$3) and display$1 near3 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:12
S51	16500	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat$3) near4 (cost$3 or fee or fees or charg$3 or pric$3) and display$1 near (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:13

S52	10926	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat$3) near2 (cost$3 or fee or fees or charg$3 or pric$3) and display$1 near (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:13
S53	547	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat$3) near2 (cost$3 or fee or fees or charg$3 or pric$3) same display$1 near (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:14
S54	7	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat$3) near2 (cost$3 or fee or fees or charg$3 or pric$3) same display$1 near (information or data) and cost with (metric$1 or model$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:14
S55	10	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat$3) near2 (cost$3 or fee or fees or charg$3 or pric$3) same display$1 near (advertisement$1 or information or data) and cost with (metric$1 or model$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:19
S56	10	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat$3) near2 (cost$3 or fee or fees or charg$3 or pric$3) same display$1 near (advertisement$1 or information or data or billboards) and cost with (metric$1 or model$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:22

S57	21	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat$3) near2 (cost$3 or fee or fees or charg$3 or pric$3) same display$1 near3 (advertisement$1 or information or data or billboards) and cost with (metric$1 or model$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:23
S58	2	"20050240538" and source$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:27
S59	24150	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg$3 or pric$3) same display$1 same (information or data or advertisement$1) same (source$1 or image or color$1 or location$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:31
S60	10244	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg$3 or pric$3) with display$1 same (information or data or advertisement$1) same (source$1 or image or color$1 or location$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:31
S61	1668	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost$3 or fee or fees or charg$3 or pric$3) near3 display$1 with (information or data or advertisement$1) same (source$1 or image or color$1 or location$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:32

S62	3256	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin$3 or calculat$4 or measur$6) same (cost$3 or fee or fees or charg$3 or pric$3) same display$1 with (information or data or advertisement$1) same (source$1 or image or color$1 or location$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:33
S63	680	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin$3 or calculat$4 or measur$6) near4 (cost$3 or fee or fees or charg$3 or pric$3) same display$1 with (information or data or advertisement$1) same (source$1 or image or color$1 or location$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:33
S64	390	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin$3 or calculat$4 or measur$6) near4 (cost$3 or fee or fees or charg$3 or pric$3) same display$1 with (information or data or advertisement$1) with (source$1 or image or color$1 or location$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:34
S65	66	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin$3 or calculat$4 or measur$6) near4 (cost$3 or fee or fees or charg$3 or pric$3) same display$1 with (information or data or advertisement$1) with (source$1 or image or color$1 or location$1) and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:35

S66	2710837	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin$3 or calculat$4 or measur$6) near4 (cost$3 or fee or fees or charg$3 or pric $3) same display$1 with (information or data or advertisement$1) with (source $1 or image or color$1 or location$1) and "705"/$$ aaand configuration$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:43
S67	29	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin$3 or calculat$4 or measur$6) near4 (cost$3 or fee or fees or charg$3 or pric $3) same display$1 with (information or data or advertisement$1) with (source $1 or image or color$1 or location$1) and "705"/$$ and configuration$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:43
S68	37	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin$3 or calculat$4 or measur$6) near4 (cost$3 or fee or fees or charg$3 or pric $3) same display$1 with (information or data or advertisement$1) with (source $1 or image or color$1 or location$1) and "705"/$$ and configur$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:46
S69	37	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin$3 or calculat$4 or measur$6) near4 (cost$3 or fee or fees or charg$3 or pric $3) same display$1 with (information or data or advertisement$1) with (source $1 or image or color$1 or location$1) and "705"/$$ and configur$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:48

S70	61	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin$3 or calculat$4 or measur$6) near4 (cost$3 or fee or fees or charg$3 or pric $3) same display$1 with (information or data or advertisement$1) with (source $1 or image or color$1 or location$1) and "705"/$$ and (configur$6 or program$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:50
S71	3	"0182025"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:03
S72	20631	lee.in. and random	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:18
S73	46	lee.in. and random with percentage$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:18
S74	13	lee.in. and random near2 percentage$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:19
S75	0	lee.in. and random near2 percentage$1 and auction$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:19

12/5/08 8:41:36 PM
C:\ Documents and Settings\ fnelson1\ My Documents\ EAST\ Workspaces\ 10830218b display configuration.wsp